

Modifying attribute values and using Formulas

As you have noticed, almost every product attribute can be accessed in [export templates](#) or [dynamic attributes](#) with an expression like `{attr:attribute_code}`. In this section we will explain, how you can modify attribute values or make some manipulation with them.

Retrieving the N-th element of an Array

Some attributes can have multiple values (for example one product can be assigned to multiple categories). Depending on your Export profile template, our app will automatically select first category or do some needed modifications.

However, if you use the static file export (CSV / XML / JSON), you can set to export only the N-th category. If attribute is not array (for example string, integer), it will skip modification.

Here are a few examples:

`{attr:categories|[0]}` - will return the first element of an array
`{attr:names|[english]}` - you can get array element by key
`{attr:names|[en]|[label]}` - multidimensional arrays are also supported

Serialization to JSON

`{attr:categories|json}` - if Categories value is array, then this modifier will convert it to JSON string

Value type conversion

Wise2Sync mainly holds two types of supplier attributes: numeric and text. You can switch between types like this:

`{attr:qty|txt}` - Typecast conversion to String `|txt`. Value will be converted to String type
`{attr:qty|int}` - Typecast conversion to Int `|int`. Value will be converted to Int type
`{attr:length|float}` - Typecast conversion to Float `|float[:precision]`. For example `{attr:length|float:2}` will convert Length value to Float type with precision of 2.

Examples

Create New Value

Conditions

AND OR

+ Add rule + Add group

Value

{attr:length|float}/100 * {attr:height|float}/100 * {attr:width|float}/100

Priority

1

Cancel

Create

#1 Product volume. Lets say, you want to calculate total

product volume in cubic meters, when you supplier only provides with, height, and length in centimeters.

What you do is create a dynamic attribute with type "number" and set a value expression:

```
{attr:length|float}/100 * {attr:height|float}/100 * {attr:width|float}/100
```

#2 Custom product name. Lets say you would like to have have custom product names, which would include product Category label as a prefix. So, what you would do is create a textual dynamic attribute "Custom Name" and set its value as follows:

```
{attr:lab_val_category|[0]} - {attr:name}
```

So if your product name was "Funny Sunshine 101" and it belongs to a category "Eye Glasses", then product "Custom name" would be "Eye Glasses - Funny Sunshine 101".

Support across the Wise2Sync App

Type	Expression	Example	Dynamic Attributes	Export profile Templates	Repricing Rules
Array element value	<code> [n]</code>	<code>{attr:category [0]}</code>	Yes	Yes	No
Array serialization to JSON	<code> json</code>	<code>{attr:tags json}</code>	Yes	Yes	No
Value type conversion	<code> txt</code> , <code> int</code> , <code> float[:precision]</code>	<code>{attr:length float:2}</code>	Yes	Yes	No

Numeric operators	<code>ceil(..)</code> , <code>floor(..)</code> , <code>round(..)</code> , <code>abs(..)</code>	<code>ceil({attr:length floor})</code>	Yes	Yes
Find lowest / highest value	<code>min(..)</code> , <code>max(..)</code>	<code>min({attr:price}, 0)</code>	Yes	Yes
Current Date	<code>{date:format}</code>	<code>{date:Y-m-d}</code>	Yes	No

Revision #13

Created Thu, Jan 14, 2021 2:11 PM by [Liudas](#)

Updated Thu, Jan 28, 2021 7:59 PM by [Liudas](#)